




DRAWING S2-D-6530

LINE	DESCRIPTION	"A"	"B"	"C"	LINE	DESCRIPTION	"A"	"B"	"C"
	REVERSE	17"	2-1/2"	11/16"	28	AS SHOWN	18-1/2"	2-5/8"	9/16"
1	REVERSE	17"	3"	11/16"	29	REVERSE	18-1/2"	2-5/8"	9/16"
2	AS SHOWN	18"	3-3/8"	9/16"	30	AS SHOWN	17"	3"	11/16"
3	REVERSE	18"	3-3/8"	9/16"	31	REVERSE	16-1/2"	4-1/2"	11/16"
4	AS SHOWN	18"	4"	11/16"	32	AS SHOWN	93"	3"	11/16"
5	REVERSE	18"	8-3/4"	9/16"	33	AS SHOWN	44-3/8"	3"	11/16"
6	AS SHOWN	18-1/2"	2-5/8"	11/16"	34	AS SHOWN	18-1/2"	1-15/16"	11/16"
7	REVERSE	18-1/2"	2-5/8"	11/16"	35	REVERSE	18-1/2"	1-15/16"	11/16"
8	AS SHOWN	19"	2-1/2"	11/16"	36	AS SHOWN	92-1/2"	3"	11/16"
9	AS SHOWN	19"	2-3/8"	11/16"	37	AS SHOWN	92"	3"	11/16"
10	REVERSE	19"	2-3/8"	11/16"	38	AS SHOWN	18-1/2"	2-3/4"	11/16"
11	AS SHOWN	19"	3"	11/16"	39	REVERSE	18-1/2"	2-3/4"	11/16"
12	REVERSE	19"	3"	11/16"	40	AS SHOWN	46-1/16"	3"	11/16"
13	REVERSE	19"	3-1/4"	11/16"	41	AS SHOWN	18-1/2"	2"	11/16"
14	AS SHOWN	19-1/2"	3-1/8"	11/16"	42	AS SHOWN	18-1/2"	2-1/4"	11/16"
15	REVERSE	19-1/2"	3-1/8"	11/16"	43	REVERSE	18-1/2"	2-1/4"	11/16"
16	AS SHOWN	20-1/2"	2-1/2"	9/16"	44	REVERSE	30"	2-1/2"	9/16"
17	AS SHOWN	21-1/2"	2-11/16"	11/16"	45	REVERSE	18-1/2"	3"	11/16"
18	AS SHOWN	19"	3-1/4"	11/16"	46	REVERSE	19"	2-5/8"	11/16"
19	AS SHOWN	18"	2-1/2"	9/16"	47	REVERSE	18-1/2"	2-5/16"	11/16"
20	REVERSE	18"	2-1/2"	9/16"	48	AS SHOWN	18-1/2"	2-5/16"	11/16"
21	AS SHOWN	93-1/2"	4"	11/16"	49	REVERSE	19"	2-5/16"	11/16"
22	AS SHOWN	25-1/2"	3"	9/16"	50	AS SHOWN	17"	3-3/8"	11/16"
23	REVERSE	23-5/8"	2-3/4"	11/16"	51	AS SHOWN	19"	3-3/8"	11/16"
24	REVERSE	18-1/2"	2"	11/16"	52	AS SHOWN	25-1/2"	3"	11/16"
25	AS SHOWN	18-1/2"	5-1/2"	11/16"	53	AS SHOWN	20"	2-1/4"	9/16"
26	REVERSE	18-1/2"	5-1/8"	11/16"	54	REVERSE	20"	2-1/4"	9/16"
27	REVERSE	18-1/2"	2"	11/16"	55	AS SHOWN	18"	2-1/2"	11/16"
					56	REVERSE	18"	2-1/2"	11/16"

WHEN ORDERING SPECIFY THE APPROPRIATE
DRAWING NUMBER AND LINE NUMBER



CAUTION: WHEN SELECTING PARTS, CUSTOMER SHOULD
CHECK APPLICABLE AAR & DOT REQUIREMENTS.

VARIATIONS IN DIMENSIONS AND CONFIGURATION AVAILABLE TO MEET YOUR REQUIREMENTS.
SPECIFY OR FURNISH SKETCH.

THIS PART IS MANUFACTURED IN ACCORDANCE WITH AAR SPECIFICATION.


MATERIAL
Meets AAR Specifications

HANDHOLD
DWG. S2-D-6530

WEIGHT
Line 1 3.1 LBS.
Line 11 3.4 LBS.
Line 17 3.7 LBS.
Line 22 4.2 LBS.

12/80

HMS
PREV. DWG. SPS-13



LINE	A	B	C	D	E	F
1	62-1/2"	2"	2"	3"	10-3/8"	11/16"
2	62-1/2"	3"	3"	2-3/8"	0"	11/16"
3	62-1/2"	3"	3"	2-9/16"	0"	11/16"
4	64"	3"	3"	2-3/8"	0"	11/16"
5	72-7/8"	2"	2"	3"	3/4"	11/16"
6	73-1/2"	2"	2"	2-5/8"	2-1/16"	11/16"
7	74-1/16"	2"	2"	2-3/8"	2-3/16"	11/16"
8	74-5/8"	2"	2"	1-7/8"	1"	11/16"
9	74-5/8"	2"	2"	2-9/16"	1"	11/16"
10	74-5/8"	2"	2"	2-9/16"	2-5/16"	11/16"
11	77-3/4"	3"	3"	2-3/8"	0"	11/16"
12	80"	3"	3"	2-3/8"	0"	11/16"
13	71"	3"	3"	4"	2-1/2"	11/16"
14	83-1/4"	3"	3"	2-9/16"	0"	11/16"
15	86-1/4"	3"	3"	4"	1/2"	11/16"
16	63-1/4"	2"	2"	3"	1/8"	11/16"
17	60"	5"	5"	0"	0"	11/16"
18	77-1/4"	5-1/2"	5-1/2"	2-9/16"	1/2"	11/16"
19	67-1/2"	2"	2"	2"	1-1/4"	11/16"
20	73"	2"	2"	3"	0"	9/16"
21	73"	2-1/2"	2-1/2"	3"	0"	9/16"

CAUTION: WHEN SELECTING PARTS, CUSTOMER SHOULD CHECK APPLICABLE AAR & DOT REQUIREMENTS.

THIS PART IS MANUFACTURED IN ACCORDANCE WITH AAR SPECIFICATION.
 VARIATIONS IN DIMENSIONS AND CONFIGURATION AVAILABLE TO MEET YOUR REQUIREMENTS.
 SPECIFY OR FURNISH SKETCH.
 SEE PAGE 20B FOR 1" DIA.

MATERIAL

Meets AAR Specifications

HANDHOLD

DWG. S2-E-3905


WEIGHT

Line 1 11 LBS.
 Line 6 11.5 LBS.
 Line 12 12.5 LBS.

12/80

HS

PREV. DWG. SPS-17



LINE	"A"	"B"	"C"	"D"	"E"	"F"
—	68"	4"	4"	1"	4"	11/16"
1	75"	4"	4"	1"	4"	11/16"
2	100"	4"	4"	1"	4"	11/16"
3	88-7/8"	2-11/16"	3-1/8"	1-3/8"	2-1/2"	9/16"
4	64"	2-1/2"	3-1/8"	1-3/8"	2-1/2"	9/16"
5	64"	3"	3"	1-3/4"	3"	11/16"
6	76"	3"	3"	1-3/4"	3"	11/16"
7	64"	6"	3"	1 3/4"	3"	11/16"
8	60"	3"	3"	1"	3"	11/16"
9	64"	3"	6"	1-3/8"	5-1/2"	11/16"
10	78"	2-1/8"	2-1/8"	1"	2-1/8"	9/16"
11	59-7/8"	2-1/8"	2-1/8"	1"	2-1/8"	9/16"
12	58"	2-1/8"	2-1/8"	1"	2-1/8"	9/16"
13	54"	2-1/8"	2-1/8"	1"	2-1/8"	9/16"
14	64"	3"	6"	1"	6"	11/16"
15	82"	3"	6"	1"	3-1/2"	11/16"
16	63-3/16"	5-3/4"	5-3/4"	3-1/4"	5-3/4"	9/16"
17	71"	3-1/4"	3-1/4"	1-1/16"	2-1/2"	11/16"
18	85-1/2"	3-5/8"	3-5/8"	1"	3-5/8"	11/16"
19	64"	3"	5"	1-3/4"	5"	11/16"
20	63-3/16"	5-3/4"	5-3/4"	1-3/8"	5-3/4"	9/16"

CAUTION: WHEN SELECTING PARTS, CUSTOMER SHOULD CHECK APPLICABLE AAR & DOT REQUIREMENTS.

THIS PART IS MANUFACTURED IN ACCORDANCE WITH AAR SPECIFICATION.
 VARIATIONS IN DIMENSIONS AND CONFIGURATION AVAILABLE TO MEET YOUR REQUIREMENTS.
 SPECIFY OR FURNISH SKETCH.

MATERIAL


Meets AAR Specification

HANDHOLD

DWG. S3-E- ϵ 1

WEIGHT

Line 0 10.4 LBS.
 Line 1 14.3 LBS.
 Line 3 12.5 LBS.
 Line 6 11.1 LBS.



LINE	A	B	C	D
1	71-1/8"	5-3/16"	1-1/2"	11/16"
2	71-1/8"	6-7/8"	1-1/2"	11/16"
3	71-1/8"	7-13/16"	1-1/2"	11/16"
4	71-3/8"	2"	2-7/16"	11/16"
5	71-1/2"	2-1/8"	2-7/16"	11/16"
6	74-3/4"	2"	2-1/2"	11/16"
7	79-3/8"	2-1/8"	3"	11/16"
8	90"	2-1/8"	3-1/8"	11/16"
9	97-3/8"	2-1/8"	3"	11/16"
10	97-3/4"	2-1/8"	3"	11/16"
11	110"	2-3/16"	2-5/8"	11/16"

LINE	A	B	C	D
12	111-1/2"	2"	3-1/2"	11/16"
13	111-1/2"	6"	4-1/8"	9/16"
14	86-5/8"	2-1/8"	2-3/4"	11/16"
15	62-1/4"	2-1/8"	3-1/2"	11/16"
16	116"	1-3/8"	2-1/2"	11/16"
17	56-1/2"	2-1/8"	2-1/4"	11/16"
18	65-1/2"	2-1/8"	2-1/2"	11/16"
19	88-11/16"	2-1/8"	2-1/2"	11/16"
20	93-5/16"	2-1/8"	2-1/2"	11/16"
21	69"	2"	4"	11/16"
22	75-1/2"	3-1/8"	1-5/16"	11/16"

LINE	A	B	C	D
23	75-1/2"	4-5/8"	1-5/16"	11/16"
24	73-1/8"	4-5/8"	1-1/4"	11/16"
25	115-1/4"	2-1/4"	3-11/32"	11/16"
26	67-1/2"	3-11/16"	1-1/4"	11/16"
27	106"	2-1/8"	2-5/16"	9/16"
28	73-1/2"	2"	4"	11/16"
29	73-1/2"	4-13/16"	2"	11/16"
30	69"	2-1/8"	2-1/4"	11/16"
31	73-1/2"	3"	5-1/2"	11/16"
32	70-5/8"	2-1/8"	2-3/4"	11/16"
33	47-1/2"	2-1/8"	2-3/4"	11/16"
34	70"	4"	2-1/2"	11/16"

CAUTION: WHEN SELECTING PARTS, CUSTOMER SHOULD CHECK APPLICABLE AAR & DOT REQUIREMENTS.

VARIATIONS IN DIMENSIONS AND CONFIGURATION AVAILABLE TO MEET YOUR REQUIREMENTS.
SPECIFY OR FURNISH SKETCH.

THIS PART IS MANUFACTURED IN ACCORDANCE WITH AAR SPECIFICATION.
SEE PAGE 20 D FOR 1" DIA

MATERIAL


Meets AAR Specifications

HANDHOLD

DWG. S2-E-3966

WEIGHT

Line 1 11 LBS.
Line 8 13 LBS.
Line 10 14 LBS.
Line 12 16 LBS.



*MINIMUM "B" DIMENSION IS 1-7/8" TO ASSURE CONFORMANCE TO SAFETY APPLIANCE REGULATIONS.

LINE	DESCRIPTION	"A"	"B"	"C"	"D"	"E"
0	AS SHOWN	18-1/2"	3-1/2"	3-7/8"	3-1/2"	9/16"
1	REVERSE	53-1/2"	8-1/4"	8-5/8"	5-5/16"	11/16"
2	REVERSE	55-7/8"	5-11/16"	6-1/16"	5-5/16"	11/16"
3	REVERSE	59-13/16"	8-3/16"	8-9/16"	5-11/32"	11/16"
4	REVERSE	59-7/8"	6-3/16"	6-9/16"	5-3/8"	11/16"
5	AS SHOWN	61"	3-3/8"	3-3/4"	4"	11/16"
6	REVERSE	61"	3-3/8"	3-3/4"	4"	11/16"
7	AS SHOWN	90-3/16"	9-1/4"	9-5/8"	5-3/8"	11/16"
8	AS SHOWN	90-5/8"	2-5/8"	3"	4-1/2"	11/16"
9	AS SHOWN	91-9/16"	2-5/8"	3"	4-1/2"	11/16"
10	AS SHOWN	91-9/16"	2-5/8"	3"	5-1/2"	11/16"
11	AS SHOWN	93-1/16"	2-5/8"	3"	4-1/2"	11/16"
12	REVERSE	18-1/2"	3-1/2"	3-7/8"	3-1/2"	9/16"

CAUTION: WHEN SELECTING PARTS, CUSTOMER SHOULD CHECK APPLICABLE AAR & DOT REQUIREMENTS.

VARIATIONS IN DIMENSIONS AND CONFIGURATION AVAILABLE TO MEET YOUR REQUIREMENTS.
SPECIFY OR FURNISH SKETCH.

THIS PART IS MANUFACTURED IN ACCORDANCE WITH AAR SPECIFICATION

MATERIAL


Meets AAR Specifications

HANDHOLD

DWG. S2-D-6531

WEIGHT

Line 0 4.3 LBS.
Line 1 10.1 LBS.
Line 5 9.6 LBS.
Line 9 13.5 LBS.



*MINIMUM "B" DIMENSION IS 3-1/4" TO ASSURE CONFORMANCE TO SAFETY APPLIANCE REGULATIONS.

LINE	DESCRIPTION	"A"	"B"	"C"	"D"	"E"
0	AS SHOWN	18"	4"	2-1/2"	2-1/2"	9/16"
1	AS SHOWN	18-5/8"	4"	2-1/2"	2-1/2"	11/16"
2	REVERSE	18-5/8"	4"	2-1/2"	2-1/2"	11/16"
3	AS SHOWN	24-5/8"	3-1/4"	2-1/2"	2-1/2"	11/16"
6	REVERSE	18"	4"	2-1/2"	2-1/2"	9/16"
7	AS SHOWN	20"	4"	2-1/2"	2-1/2"	9/16"
8	REVERSE	20"	4"	2-1/2"	2-1/2"	9/16"
9	REVERSE	20"	4-1/2"	2-1/4"	2-1/4"	11/16"
10	AS SHOWN	17"	3-5/16"	2-1/2"	2-1/2"	11/16"
11	AS SHOWN	18"	3-1/2"	2-1/2"	2-7/8"	11/16"
12	AS SHOWN	19"	3-1/2"	2-1/2"	2-1/2"	11/16"
13	REVERSE	17"	3-1/2"	3-1/2"	3-1/2"	11/16"
14	REVERSE	18"	3-1/2"	2-1/2"	2-7/8"	11/16"
15	REVERSE	19"	3-7/8"	2-1/2"	2-1/2"	11/16"
16	AS SHOWN	19"	3"	2-1/2"	2-1/2"	11/16"
17	REVERSE	19"	3"	2-1/2"	2-1/2"	11/16"
18	REVERSE	21-7/8"	3-1/2"	3"	3"	9/16"
19	AS SHOWN	18"	4"	3-3/8"	4"	11/16"
20	REVERSE	18"	4"	3-3/8"	4"	11/16"
21	AS SHOWN	18-1/2"	7"	2-1/2"	2-1/2"	11/16"
22	REVERSE	18-1/2"	7"	2-1/2"	2-1/2"	11/16"
23	REVERSE	18"	4-1/8"	2-1/2"	2-1/2"	11/16"

CAUTION: WHEN SELECTING PARTS, CUSTOMER SHOULD CHECK APPLICABLE AAR & DOT REQUIREMENTS.

VARIATIONS IN DIMENSIONS AND CONFIGURATION AVAILABLE TO MEET YOUR REQUIREMENTS
SPECIFY OR FURNISH SKETCH.

THIS PART IS MANUFACTURED IN ACCORDANCE WITH AAR SPECIFICATION.


MATERIAL

Meets AAR Specifications

HANDHOLD
DWG. S2-D-6510

WEIGHT

Line 0 4.4 LBS.
Line 1 4.5 LBS.
Line 2 4.5 LBS.
Line 3 5.1 LBS.



LINE	"A"	"B"	"C"	"D"
0	16"	16"	2-1/2"	11/16"
1	18-3/4"	20-1/4"	2-1/2"	11/16"
2	19"	19"	2-1/2"	11/16"
3	19-1/2"	20-1/4"	2-1/2"	11/16"
4	20-1/2"	19"	2-1/2"	11/16"
5	20-1/2"	20-1/2"	2-1/2"	11/16"
6	20-1/2"	20-9/16"	2-1/2"	11/16"
7	20-9/16"	20-1/2"	2-1/2"	11/16"
8	23"	22-11/16"	2-1/2"	11/16"
9	23-3/4"	23-3/4"	2-1/2"	11/16"
10	20-9/16"	20-1/2"	2-1/2"	9/16"
11	21"	22"	2-1/2"	11/16"

CAUTION: WHEN SELECTING PARTS, CUSTOMER SHOULD CHECK APPLICABLE AAR & DOT REQUIREMENTS.

VARIATIONS IN DIMENSIONS AND CONFIGURATION AVAILABLE TO MEET YOUR REQUIREMENTS.
SPECIFY OR FURNISH SKETCH.

THIS PART IS MANUFACTURED IN ACCORDANCE WITH AAR SPECIFICATION.

MATERIAL

Meets AAR Specifications


HANDHOLD
DWG. S2-E-4172

WEIGHT

Line 0 7.0 LBS.
Line 2 8.0 LBS.
Line 5 8.2 LBS.
Line 9 9.0 LBS.

12/80

HS



CAUTION: WHEN SELECTING PARTS, CUSTOMER SHOULD CHECK APPLICABLE AAR & DOT REQUIREMENTS.

THIS PART IS MANUFACTURED IN ACCORDANCE WITH AAR SPECIFICATION.

VARIATIONS IN DIMENSIONS AND CONFIGURATION AVAILABLE TO MEET YOUR REQUIREMENTS. SPECIFY OR FURNISH SKETCH.

MATERIAL

Meets AAR Specifications

HANDHOLD
DWG. SI-A-0202


WEIGHT

5 LBS.

12/80

M

PREV. DWG. 117-30066




CAUTION: WHEN SELECTING PARTS, CUSTOMER SHOULD CHECK APPLICABLE AAR & DOT REQUIREMENTS.

VARIATIONS IN DIMENSIONS AND CONFIGURATION AVAILABLE TO MEET YOUR REQUIREMENTS.
SPECIFY OR FURNISH SKETCH.

MATERIAL
ASTM A-53 Type F

SIDE PLATFORM HANDRAIL
DWG. S2F-6693

WEIGHT
10.5 LBS.




LINE	"A"	"B"	"C"	"D"	"E"	"F"	"G"	"H"	"J"	"K"	"L"	"M"	"N"	"P"	"R"	APPROX. WT.
-	1.125	.011	1/2"	1-1/8"	2-1/8"	1-1/4"	2-1/2"	1-3/4"	1-3/4"	1-1/4"	3-3/4"	1-1/4"	7"	2'-5-1/4"	13-1/2"	9.5 LBS.

VARIATIONS IN DIMENSIONS AND CONFIGURATION AVAILABLE TO MEET YOUR REQUIREMENTS.
SPECIFY OR FURNISH SKETCH.

MATERIAL
ASTM A-36

DEAD LEVER FULCRUM
DWG. S3-G-4273

WEIGHT
SEE TABLE



CAUTION: WHEN SELECTING PARTS, CUSTOMER SHOULD
CHECK APPLICABLE AAR & DOT REQUIREMENTS.

VARIATIONS IN DIMENSIONS AND CONFIGURATION AVAILABLE TO MEET YOUR REQUIREMENTS.
SPECIFY OR FURNISH SKETCH.


MATERIAL
ASTM A-36

SILL STEP
DWG. S1-G-0645

WEIGHT
12 LBS.

12/80

M



CAUTION: WHEN SELECTING PARTS, CUSTOMER SHOULD
CHECK APPLICABLE AAR & DOT REQUIREMENTS.

VARIATIONS IN DIMENSIONS AND CONFIGURATION AVAILABLE TO MEET YOUR REQUIREMENTS.
SPECIFY OR FURNISH SKETCH.

MATERIAL

ASTM A-36

SILL STEP
DWG. S1-A-3914


WEIGHT

12 LBS.

12/80

M

PREV. DWG. 11-74282



LINE	"A"	DESCRIPTION
1	9/16"	AS SHOWN
2	9/16"	REVERSE
3	11/16"	AS SHOWN
4	11/16"	REVERSE

VARIATIONS IN DIMENSIONS AND CONFIGURATION AVAILABLE TO MEET YOUR REQUIREMENTS.
SPECIFY OR FURNISH SKETCH.

CAUTION: WHEN SELECTING PARTS, CUSTOMER SHOULD
CHECK APPLICABLE AAR & DOT REQUIREMENTS.

MATERIAL

ASTM A-36

SILL STEP
DWG. S1-A-8867


WEIGHT

16 LBS.

12/80

S

PREV. DWG. 11-80735



LINE	DESCRIPTION
0	AS SHOWN
1	REVERSE

VARIATIONS IN DIMENSIONS AND CONFIGURATION AVAILABLE TO MEET YOUR REQUIREMENTS.
SPECIFY OR FURNISH SKETCH.

CAUTION: WHEN SELECTING PARTS, CUSTOMER SHOULD
CHECK APPLICABLE AAR & DOT REQUIREMENTS.

MATERIAL

ASTM A-36

SILL STEP
DWG. S1-D-4666


WEIGHT

17 LBS.

12/80

S

PREV. DWG. 1-A-8867



LINE	DESCRIPTION
0	AS SHOWN
1	REVERSE

VARIATIONS IN DIMENSIONS AND CONFIGURATION AVAILABLE TO MEET YOUR REQUIREMENTS
SPECIFY OR FURNISH SKETCH

CAUTION: WHEN SELECTING PARTS, CUSTOMER SHOULD
CHECK APPLICABLE AAR & DOT REQUIREMENTS.

MATERIAL

ASTM A-36

SILL STEP
DWG. S1-D-8263


WEIGHT

24 LBS.

12/80

S

PREV. DWG. 1-B-7311



CAUTION: WHEN SELECTING PARTS, CUSTOMER SHOULD
CHECK APPLICABLE AAR & DOT REQUIREMENTS.

VARIATIONS IN DIMENSIONS AND CONFIGURATION AVAILABLE TO MEET YOUR REQUIREMENTS.
SPECIFY OR FURNISH SKETCH.

THIS PART IS MANUFACTURED IN ACCORDANCE WITH AAR SPECIFICATION.

MATERIAL

ASTM A-36

SILL STEP
DWG. SI-A-0239
STANDARD PART 6A023900


WEIGHT

10 LBS.

12/80

M

PREV. DWG. 11-22292



LINE	"A"	"B"	"C"	REFERENCE
0	8-13/16"	12-1/2"	2-1/4"	11-80837
1	6"	12"	1-1/2"	2-E-3970-1
2	8"	10"	1-1/2"	2-E-3970-2
3	8"	12"	1-1/2"	2-E-3970-3

LINE	"A"	"B"	"C"	REFERENCE
4	8"	12"	2"	2-E-3970-4
5	9"	12"	1-7/8"	2-E-3970-5
6	9"	12-1/2"	1-7/8"	2-E-3970-6

AVAILABLE QUENCHED, TEMPERED AND STAMPED TO
241-311 BHN UPON REQUEST.

MATERIAL

C 40-50%
Man 60-90%
Phor .04% Max.
S .05% Max.
SI .15-.30%

FOLLOWER PLATE

DWG. S11-80837

LINE 0 STANDARD PART 68083700
LINE 6 STANDARD PART 6E397006

WEIGHT

Line 0 71 LBS

12/80

OH:HMS

PREV. DWG. 220-9291 - SPS-41